

| Manufacturer | Model | System | Ecu name | Ecu name | Feature | Feature ID | Detail |
|--------------|---------|-----------------------|-------------------------|----------|-------------------|------------|--|
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "2" | "Hardware number" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "3" | "Hardware version" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "4" | "Software number" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "5" | "Software version" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "6" | "ISO Code" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "7" | "Country type" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "8" | "CLD flashing" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "9" | "Antitheft alarm" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "1" | "Fuel supply mode" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "2" | "Driver's door" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "3" | "Passenger door" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "4" | "Left rear door" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "5" | "Right rear door" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "6" | "Hazard warning lights" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "7" | "Inertia switch" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "8" | "Boot lid" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "9" | "Bonnet" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "10" | "Headlamp wash pump" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "11" | "Key position" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "12" | "Engine start signal" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "13" | "City /sport input" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "14" | "Parking brake" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "15" | "Heated rear window control" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "16" | "Brake fluid level" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "17" | "Brake pads" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "18" | "Stop fuse input" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "19" | "Reversing light" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "20" | "Door lock status" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "21" | "Trunk lid exterior unlocking switch" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "22" | "Boot unlock from panel" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "23" | "Interior door locking button" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "24" | "Left indicator light" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "25" | "Right indicator light" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "26" | "Lights control" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "27" | "Main beam" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "28" | "Automatic light switch" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "29" | "Front fog lights" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "30" | "Rear fog lights" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "31" | "Left rear ceiling lamp" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "32" | "Right rear ceiling lamp" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "33" | "After-market anti-theft signal" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "34" | "Multifunction steering wheel buttons" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "35" | "Generator" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "36" | "Battery voltage" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "37" | "Fuel level" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "38" | "Outside temperature" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "39" | "Programming" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "40" | "Engine Control unit" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "41" | "Last key used" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "42" | "Number of last key used" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "43" | "Dialogue with ECE" |

| | | | | | | | |
|----------|---------|-----------------------|-----------------------------------|----|-------------------|------|---|
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "44" | "Engine control unit (NCM)" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "45" | "Key transponder" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "46" | "Number of enabled keys" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "47" | "Number of disabled keys" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "48" | "Transponder message line" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "49" | "ID of last key used" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "50" | "Electronic key" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "51" | "Minicrypt" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "52" | "Stored remote controls count" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "53" | "Number of last remote control used" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "54" | "ID of last remote control used" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "55" | "Door locking remote control button" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "56" | "Door unlocking remote control button" |
| "Lancia" | "Delta" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "57" | "Trunk remote control button" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Adaptations" | "1" | "Oil change reset (only for version with DPF)" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Adaptations" | "2" | "Replacement of the sensor of the pressure of the rail" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Adaptations" | "3" | "Replacement of the oxygen sensor" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Adaptations" | "4" | "Replacement of the sensor of the air flow" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Adaptations" | "5" | "EGR mixer butterfly replacement" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Adaptations" | "6" | "Particle filter pressure diff sensor" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Adaptations" | "7" | "Cylinder 1 injector code" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Adaptations" | "8" | "Cylinder 2 injector code" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Adaptations" | "9" | "Cylinder 3 injector code" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Adaptations" | "10" | "Cylinder 4 injector code" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Adaptations" | "11" | "Regeneration" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "ECU Information" | "2" | "ISO Code" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "1" | "Injection controller" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "2" | "Engine start up" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "3" | "Universal code" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "4" | "Numbers of overrevs" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "5" | "Max engine speed" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "6" | "Max engine speed" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "7" | "Number of rewrites" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "8" | "Odometer at last rewrite" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "9" | "Cylinder 1 fuel trim" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "10" | "Cylinder 2 fuel trim" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "11" | "Cylinder 3 fuel trim" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "12" | "Cylinder 4 fuel trim" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "13" | "Engine speed" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "14" | "Brake pedal switch" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "15" | "Brake switch 2" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "16" | "Clutch pedal" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "17" | "Accelerator pedal position sensor" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "18" | "AD/C accelerator position 1" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "19" | "AD/C accelerator position 2" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "20" | "Cruise control switch" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "21" | "Switch position cruise control" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "22" | "Cruise control error status" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "23" | "Actual gear" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "24" | "A/C requested" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "25" | "AC-relay" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "26" | "Refrigerant pressure" |

| | | | | | | | |
|----------|---------|-----------------|-----------------------------------|----|-------------------|------|---|
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "27" | "Coolant temperature" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "28" | "Air temperature (Turbo)" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "29" | "Turbo 1 command" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "30" | "Boost pressure valve, closing" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "31" | "Target overboost pressure" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "32" | "Overboost pressure measured" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "33" | "Air mass measured" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "34" | "Target air mass" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "35" | "Temperature sensor in Air Mass Meter" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "36" | "Total quantity of fuel" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "37" | "Fuel temperature" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "38" | "Fuel pump relay" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "39" | "Preheating diagnos" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "40" | "EGR valve opening" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "41" | "EGR target position" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "42" | "EGR valve position" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "43" | "Air quantity control" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "44" | "EGR valve position control performance/range" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "45" | "EGR valve programming" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "46" | "Wastegate target position" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "47" | "Fuel pressure measured" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "48" | "Target fuel pressure" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "49" | "Pressure regulation valve (MPROP)" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "50" | "Flow modulator throttle opening" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "51" | "Throttle opening" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "52" | "Atmospheric pressure" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "53" | "Cylinder 1 injector code" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "54" | "Cylinder 2 injector code" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "55" | "Cylinder 3 injector code" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "56" | "Cylinder 4 injector code" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "57" | "Battery voltage" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "58" | "Particle emission filter temperature" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "59" | "Difference pressure sensor" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "60" | "Difference pressure sensor" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "61" | "Particulate filter, clogging status" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "62" | "Status particle filter regeneration" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "63" | "Particle filter replaced" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "64" | "Distance travelled since last regeneration" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "65" | "Number regenerations due to flow resistance" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "66" | "Average temperature of last 5 regener" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "67" | "Average distance from last 5 regener" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "68" | "Average duration of last 5 regener" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "69" | "Distance at last oil change" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "70" | "Distance to next oil change" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "71" | "Engine oil quality" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "72" | "Lambda regulation" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "73" | "Lambda sensor oxygen part" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "74" | "Distance travelled since engine control unit replaced" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "75" | "Turbo wastegate valve position" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "76" | "Resistance to flow in DPF" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "77" | "Total number of regenerations" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "78" | "Number of regenerations interrupted by key off" |
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "79" | "Km travelled with DPF warninglamp on" |

| | | | | | | | |
|----------|---------|--------------------------|-----------------------------------|----|-------------------|------|--|
| "Lancia" | "Delta" | "Engine Diesel" | "198A2.000 1,6 EDC16C39 CF5/EOBD" | "" | "Live Parameters" | "80" | "EGR valve" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "ECU Information" | "2" | "Hardware version" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "ECU Information" | "3" | "Software version" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "ECU Information" | "4" | "ISO Code" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "1" | "Number of rewrites" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "2" | "Odometer at last rewrite" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "3" | "Km value read" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "4" | "Serviceinterval" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "5" | "Distance indicator at last service reset" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "6" | "Date of last service operation" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "7" | "Belt reminder" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "8" | "Fuel supply mode" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "9" | "Vehicle speed" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "10" | "Engine speed" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "11" | "Water temperature" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "12" | "Fuel gauge" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "13" | "Battery voltage" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "14" | "Head lamp position correct" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "15" | "Outside temperature" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "16" | "Driving range to next servicing" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "17" | "Dimming switch panel" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "18" | "Buzzer volume" |
| "Lancia" | "Delta" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "19" | "Button volume" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "ECU Information" | "1" | "ISO Code" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "1" | "Battery voltage" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "2" | "1 st level, driver's airbag resistance" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "3" | "2nd level, driver's airbag resistance" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "4" | "1 st level, passenger airbag resistance" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "5" | "Driver's pretensioner resistance" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "6" | "Passenger pretensioner resistance" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "7" | "Left side side-airbag resistance" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "8" | "Right side side- airbag resistance" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "9" | "Driver-side airbag safety curtain" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "10" | "Passenger-side airbag safety curtain" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "11" | "Drivers seatbelt" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "12" | "Passengers seatbelt" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "13" | "Instrument cluster" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "14" | "Trip computer" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "15" | "Body computer" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "16" | "Failure warning lamp status (from can)" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "17" | "Passenger airbag exclusion warning lamp (from can)" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "18" | "Seat belt warning lamp (from can)" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "19" | "SRS warning lamp" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "20" | "Passenger airbag exclusion switch" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "21" | "Passenger airbag exclusion warning lamp" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "22" | "Passenger airbag and knee guard" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "23" | "Passenger present sensor" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "24" | "Drivers seatbelt" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "25" | "Passengers seatbelt" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "26" | "Pretensioner cut-in" |
| "Lancia" | "Delta" | "Restraints" | "Siemens airbag (Proxi)" | "" | "Live Parameters" | "27" | "Side airbag trigger" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |

| | | | | | | | |
|----------|---------|-----------------|------------------------|----|-------------------|------|--|
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "ECU Information" | "2" | "Programming date" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "ECU Information" | "3" | "Hardware version" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "ECU Information" | "4" | "Software version number" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "ECU Information" | "5" | "ISO Code" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "ECU Information" | "6" | "Vehicle type" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "ECU Information" | "7" | "Type of slaving" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "ECU Information" | "8" | "Slave version" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "ECU Information" | "9" | "Body version" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "ECU Information" | "10" | "Vehicle type" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "ECU Information" | "11" | "Vehicle model" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "ECU Information" | "12" | "Steering angle sensor" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "ECU Information" | "13" | "Engine type" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "ECU Information" | "14" | "Serial number" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "Live Parameters" | "1" | "Battery voltage" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "Live Parameters" | "2" | "Steering angle" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "Live Parameters" | "3" | "Vehicle speed (from CAN)" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "Live Parameters" | "4" | "Steering angle calibration" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "Live Parameters" | "5" | "Steering angle signal" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "Live Parameters" | "6" | "Initialisation position" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "Live Parameters" | "7" | "Operating mode" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "Live Parameters" | "8" | "Alternator status (from can)" |
| "Lancia" | "Delta" | "Steering" | "TRW" | "" | "Live Parameters" | "9" | "Steering angle status on can" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "1" | "Key" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "2" | "Revolution signal" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "3" | "Accelerator pedal position sensor" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "4" | "Injection timing adjustment" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "5" | "Injection timing adjustment" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "6" | "Injection time" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "7" | "Injection time" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "8" | "Injection amount" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "9" | "Fuel pressure" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "10" | "Fuel pressure" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "11" | "Pressure regulator" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "12" | "Air inlet sensor" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "13" | "Air inlet sensor" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "14" | "EGR valve" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "15" | "Overboost" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "16" | "Overboost" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "17" | "Turbo regulating valve" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "18" | "Air pressure sensor" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "19" | "Air inlet temperature sensor" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "20" | "Coolant temperature sensor" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "21" | "Battery voltage" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "22" | "Road speed signal" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "23" | "Clutch pedal switch" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "24" | "Self test" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "25" | "AC order signal" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "26" | "AC order signal" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "27" | "Brake pedal switch" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "28" | "Pressure switch climate control system" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "29" | "Key" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "30" | "Engine start up" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "31" | "Cruise control" |

| | | | | | | | |
|----------|------------|-----------------|---------------------------------|----|-------------------|------|-------------------------------------|
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "32" | "EGR" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "33" | "AD/C" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "34" | "AD/C" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "35" | "Accelerator pedal position sensor" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "36" | "Accelerator pedal position sensor" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "37" | "AD/C" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "38" | "AD/C" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "39" | "Air inlet temperature sensor" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "40" | "Air inlet sensor" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "41" | "Control power injector capacitor" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "42" | "Control power injector capacitor" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "43" | "Status" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "44" | "Glow time lamp" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "45" | "Check engine lamp" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "46" | "Temperature warning" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "47" | "Fuel pump" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "48" | "Cooling fan" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "49" | "Cooling fan" |
| "Lancia" | "Kappa" | "Engine Diesel" | "839A8.000 2,4 EDC 15" | "" | "Live Parameters" | "50" | "AC compressor" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "176B9.000 1,2 Motronic ME 7.3" | "" | "Live Parameters" | "1" | "Engine start up" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "176B9.000 1,2 Motronic ME 7.3" | "" | "Live Parameters" | "2" | "Control unit" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "176B9.000 1,2 Motronic ME 7.3" | "" | "Live Parameters" | "3" | "Communication" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "176B9.000 1,2 Motronic ME 7.3" | "" | "Live Parameters" | "4" | "Revolution signal" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "176B9.000 1,2 Motronic ME 7.3" | "" | "Live Parameters" | "5" | "Revolution signal" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "176B9.000 1,2 Motronic ME 7.3" | "" | "Live Parameters" | "6" | "Air inlet sensor" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "176B9.000 1,2 Motronic ME 7.3" | "" | "Live Parameters" | "7" | "Ignition timing" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "176B9.000 1,2 Motronic ME 7.3" | "" | "Live Parameters" | "8" | "Injection time" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "176B9.000 1,2 Motronic ME 7.3" | "" | "Live Parameters" | "9" | "Throttle potentiometer" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "176B9.000 1,2 Motronic ME 7.3" | "" | "Live Parameters" | "10" | "Engine load" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "176B9.000 1,2 Motronic ME 7.3" | "" | "Live Parameters" | "11" | "Air pressure sensor" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "176B9.000 1,2 Motronic ME 7.3" | "" | "Live Parameters" | "12" | "Battery voltage" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "176B9.000 1,2 Motronic ME 7.3" | "" | "Live Parameters" | "13" | "Road speed signal" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "176B9.000 1,2 Motronic ME 7.3" | "" | "Live Parameters" | "14" | "AC compressor" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "176B9.000 1,2 Motronic ME 7.3" | "" | "Live Parameters" | "15" | "Idle" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "176B9.000 1,2 Motronic ME 7.3" | "" | "Live Parameters" | "16" | "Carbon filter solenoid valve" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "1" | "Revolution signal" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "2" | "MAP sensor" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "3" | "Air inlet temperature sensor" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "4" | "Coolant temperature sensor" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "5" | "Throttle potentiometer" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "6" | "Calculated ignition timing" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "7" | "Ignition timing" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "8" | "Engine load" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "9" | "Injection time" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "10" | "Desired idling speed" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "11" | "Position sensor step motor" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "12" | "Battery voltage" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "13" | "Lambda regulation" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "14" | "Lambda integrator" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "15" | "Status of lambda probe" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "16" | "EVAP system" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "17" | "Road speed signal" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "18" | "Coil 1 charge time" |

| | | | | | | | |
|----------|------------|-------------------|-------------------------|----|-------------------|------|--------------------------------------|
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "19" | "Coil 2 charge time" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "20" | "Data storage" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "21" | "Vehicle status" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "22" | "AC compressor" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "23" | "AC system" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "24" | "Accelerator pedal position" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "25" | "Atmospheric pressure" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "26" | "Water temperature warning lamp" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "27" | "Battery status indicator" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "28" | "Cooling fan" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "29" | "Request engine" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "30" | "Injection controller" |
| "Lancia" | "Lancia Y" | "Engine Petrol" | "840A3.000 1,2 IAW 59F" | "" | "Live Parameters" | "31" | "Variant coding" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "ECU Information" | "1" | "Actuator position" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "ECU Information" | "2" | "Foglights" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "ECU Information" | "3" | "Control unit AC" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "ECU Information" | "4" | "Air humidity sensor, AC" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "ECU Information" | "5" | "EVAP sensor" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "ECU Information" | "6" | "Supplementary heater" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "1" | "AC compressor" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "2" | "Recirculation" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "3" | "Relay 1 (additional heater)" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "4" | "Relay 2 (additional heater)" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "5" | "Coolant temperature" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "6" | "Outside temperature sensor" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "7" | "Interior temperature sensor" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "8" | "LH footwell air temperature sensor" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "9" | "RH footwell air temperature sensor" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "10" | "LH fan air temperature sensor" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "11" | "RH fan air temperature sensor" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "12" | "Anti-ice sensor temperature" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "13" | "Windscreen actuator" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "14" | "Right blending flap" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "15" | "Left blending flap" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "16" | "Feet/vent actuator" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "17" | "Pollution sensor" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "18" | "Road speed signal" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "19" | "Engine speed" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "20" | "Battery voltage" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "21" | "Sun sensor left cell" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "22" | "Sun sensor right cell" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "23" | "LH requested temperature" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "24" | "RH requested temperature" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "25" | "ECON button" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "26" | "Defrost button" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "27" | "Rear window heating" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "28" | "Windscreen button" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "29" | "Panel button" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "30" | "Floor button" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "31" | "Recirculation key" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "32" | "Auto button" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "33" | "Off button" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "34" | "Mono button" |

| | | | | | | | |
|----------|---------|-------------------|------------------------|----|-------------------|------|--|
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "35" | "Front foglight button" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "36" | "Rear foglight button" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "37" | "Fan +" |
| "Lancia" | "Lybra" | "Climate Control" | "Marelli/Hella" | "" | "Live Parameters" | "38" | "Fan -" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "1" | "Key" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "2" | "Revolution signal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "3" | "Accelerator pedal position sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "4" | "Injection timing adjustment" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "5" | "Injection timing adjustment" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "6" | "Injection time" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "7" | "Injection time" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "8" | "Injection amount" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "9" | "Fuel pressure" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "10" | "Fuel pressure" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "11" | "Pressure regulator" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "12" | "Air inlet sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "13" | "Air inlet sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "14" | "EGR valve" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "15" | "Overboost" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "16" | "Overboost" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "17" | "Turbo regulating valve" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "18" | "Air pressure sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "19" | "Air inlet temperature sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "20" | "Coolant temperature sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "21" | "Battery voltage" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "22" | "Road speed signal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "23" | "Clutch pedal switch" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "24" | "Self test" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "25" | "AC order signal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "26" | "AC order signal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "27" | "Brake pedal switch" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "28" | "Pressure switch climate control system" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "29" | "Key" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "30" | "Engine start up" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "31" | "Cruise control" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "32" | "EGR" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "33" | "AD/C" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "34" | "AD/C" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "35" | "Accelerator pedal position sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "36" | "Accelerator pedal position sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "37" | "AD/C" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "38" | "AD/C" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "39" | "Air inlet temperature sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "40" | "Air inlet sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "41" | "Control power injector capacitor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "42" | "Control power injector capacitor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "43" | "Status" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "44" | "Glow time lamp" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "45" | "Check engine lamp" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "46" | "Temperature warning" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "47" | "Fuel pump" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "48" | "Cooling fan" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "49" | "Cooling fan" |

| | | | | | | | |
|----------|---------|-----------------|----------------------------|----|-------------------|------|-------------------------------------|
| "Lancia" | "Lybra" | "Engine Diesel" | "839A5.000 2,4 EDC 15" | "" | "Live Parameters" | "50" | "AC compressor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "1" | "Request engine" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "2" | "Injection controller" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "3" | "Immobiliser signal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "4" | "Maximum revolution exceeded" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "5" | "Max engine speed" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "6" | "Number of rewrites" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "7" | "Engine speed" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "8" | "Accelerator pedal position" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "9" | "Injection start" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "10" | "Pilot injection start" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "11" | "Main injection time" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "12" | "Pre injection time" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "13" | "Injection amount" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "14" | "Target fuel pressure" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "15" | "Fuel pressure measured" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "16" | "Solenoid pressure regulation" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "17" | "Target air mass" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "18" | "Air mass measured" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "19" | "EGR valve opening" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "20" | "Target overboost pressure" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "21" | "Overboost pressure measured" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "22" | "Charging pressure valve" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "23" | "Atmospheric pressure" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "24" | "Inlet air temperature" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "25" | "Coolant temperature" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "26" | "Battery voltage" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "27" | "Road speed signal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "28" | "A/C requested" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "29" | "Brake pedal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "30" | "Clutch pedal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "31" | "Ignition status" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "32" | "Quadrinary 1st level" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "33" | "Quadrinary 2nd level" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "34" | "Water in fuel (if sensor present)" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "35" | "Cruise control switch" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "36" | "Set cruise acceleration (+)" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "37" | "Set cruise deceleration (-)" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "38" | "Cruise control switch, set/resume" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "39" | "CAN: data bus" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "40" | "Overboost strategy" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "41" | "EGR valve status" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "42" | "AD/C accelerator position 1" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "43" | "AD/C accelerator position 2" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "44" | "Capacitor 1" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "45" | "Quantity fuel for cruise" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "46" | "Fuel temperature" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "47" | "Fuel quantity" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "48" | "CAN: data bus (if present)" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "49" | "Injection valve 1" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "50" | "Injection valve 2" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "51" | "Injection valve 3" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15 CF3" | "" | "Live Parameters" | "52" | "Injection valve 4" |

| | | | | | | | |
|----------|---------|-----------------|------------------------|----|-------------------|------|--|
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "1" | "Key" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "2" | "Revolution signal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "3" | "Accelerator pedal position sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "4" | "Injection timing adjustment" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "5" | "Injection timing adjustment" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "6" | "Injection time" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "7" | "Injection time" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "8" | "Injection amount" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "9" | "Fuel pressure" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "10" | "Fuel pressure" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "11" | "Pressure regulator" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "12" | "Air inlet sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "13" | "Air inlet sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "14" | "EGR valve" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "15" | "Overboost" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "16" | "Overboost" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "17" | "Turbo regulating valve" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "18" | "Air pressure sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "19" | "Air inlet temperature sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "20" | "Coolant temperature sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "21" | "Battery voltage" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "22" | "Road speed signal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "23" | "Clutch pedal switch" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "24" | "Self test" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "25" | "AC order signal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "26" | "AC order signal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "27" | "Brake pedal switch" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "28" | "Pressure switch climate control system" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "29" | "Key" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "30" | "Engine start up" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "31" | "Cruise control" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "32" | "EGR" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "33" | "AD/C" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "34" | "AD/C" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "35" | "Accelerator pedal position sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "36" | "Accelerator pedal position sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "37" | "AD/C" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "38" | "AD/C" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "39" | "Air inlet temperature sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "40" | "Air inlet sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "41" | "Control power injector capacitor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "42" | "Control power injector capacitor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "43" | "Status" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "44" | "Glow time lamp" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "45" | "Check engine lamp" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "46" | "Temperature warning" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "47" | "Fuel pump" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "48" | "Cooling fan" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "49" | "Cooling fan" |
| "Lancia" | "Lybra" | "Engine Diesel" | "839A6.000 2,4 EDC 15" | "" | "Live Parameters" | "50" | "AC compressor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "1" | "Key" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "2" | "Revolution signal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "3" | "Accelerator pedal position sensor" |

| | | | | | | | |
|----------|---------|-----------------|---------------------------|----|-------------------|------|--|
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "4" | "Injection timing adjustment" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "5" | "Injection timing adjustment" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "6" | "Injection time" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "7" | "Injection time" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "8" | "Injection amount" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "9" | "Fuel pressure" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "10" | "Fuel pressure" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "11" | "Pressure regulator" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "12" | "Air inlet sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "13" | "Air inlet sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "14" | "EGR valve" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "15" | "Overboost" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "16" | "Overboost" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "17" | "Turbo regulating valve" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "18" | "Air pressure sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "19" | "Air inlet temperature sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "20" | "Coolant temperature sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "21" | "Battery voltage" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "22" | "Road speed signal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "23" | "Clutch pedal switch" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "24" | "Self test" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "25" | "AC order signal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "26" | "AC order signal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "27" | "Brake pedal switch" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "28" | "Pressure switch climate control system" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "29" | "Key" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "30" | "Engine start up" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "31" | "Cruise control" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "32" | "EGR" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "33" | "AD/C" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "34" | "AD/C" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "35" | "Accelerator pedal position sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "36" | "Accelerator pedal position sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "37" | "AD/C" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "38" | "AD/C" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "39" | "Air inlet temperature sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "40" | "Air inlet sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "41" | "Control power injector capacitor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "42" | "Control power injector capacitor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "43" | "Status" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "44" | "Glow time lamp" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "45" | "Check engine lamp" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "46" | "Temperature warning" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "47" | "Fuel pump" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "48" | "Cooling fan" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "49" | "Cooling fan" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 32302 1,9 EDC 15" | "" | "Live Parameters" | "50" | "AC compressor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "1" | "Request engine" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "2" | "Injection controller" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "3" | "Immobiliser signal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "4" | "Maximum revolution exceeded" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "5" | "Max engine speed" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "6" | "Number of rewrites" |

| | | | | | | | |
|----------|---------|-----------------|---------------------------|----|-------------------|------|-------------------------------------|
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "7" | "Engine speed" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "8" | "Accelerator pedal position" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "9" | "Injection start" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "10" | "Pilot injection start" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "11" | "Main injection time" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "12" | "Pre injection time" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "13" | "Injection amount" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "14" | "Target fuel pressure" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "15" | "Fuel pressure measured" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "16" | "Solenoid pressure regulation" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "17" | "Target air mass" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "18" | "Air mass measured" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "19" | "EGR valve opening" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "20" | "Target overboost pressure" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "21" | "Overboost pressure measured" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "22" | "Charging pressure valve" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "23" | "Atmospheric pressure" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "24" | "Inlet air temperature" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "25" | "Coolant temperature" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "26" | "Battery voltage" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "27" | "Road speed signal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "28" | "A/C requested" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "29" | "Brake pedal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "30" | "Clutch pedal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "31" | "Ignition status" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "32" | "Quadrinary 1st level" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "33" | "Quadrinary 2nd level" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "34" | "Water in fuel (if sensor present)" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "35" | "Cruise control switch" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "36" | "Set cruise acceleration (+)" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "37" | "Set cruise deceleration (-)" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "38" | "Cruise control switch, set/resume" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "39" | "CAN: data bus" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "40" | "Overboost strategy" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "41" | "EGR valve status" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "42" | "AD/C accelerator position 1" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "43" | "AD/C accelerator position 2" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "44" | "Capacitor 1" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "45" | "Quantity fuel for cruise" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "46" | "Fuel temperature" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "47" | "Fuel quantity" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "48" | "CAN: data bus (if present)" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "49" | "Injection valve 1" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "50" | "Injection valve 2" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "51" | "Injection valve 3" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15 CF3" | "" | "Live Parameters" | "52" | "Injection valve 4" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "1" | "Key" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "2" | "Revolution signal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "3" | "Accelerator pedal position sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "4" | "Injection timing adjustment" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "5" | "Injection timing adjustment" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "6" | "Injection time" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "7" | "Injection time" |

| | | | | | | | |
|----------|---------|-----------------|-------------------------|----|-------------------|------|--|
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "8" | "Injection amount" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "9" | "Fuel pressure" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "10" | "Fuel pressure" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "11" | "Pressure regulator" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "12" | "Air inlet sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "13" | "Air inlet sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "14" | "EGR valve" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "15" | "Overboost" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "16" | "Overboost" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "17" | "Turbo regulating valve" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "18" | "Air pressure sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "19" | "Air inlet temperature sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "20" | "Coolant temperature sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "21" | "Battery voltage" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "22" | "Road speed signal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "23" | "Clutch pedal switch" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "24" | "Self test" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "25" | "AC order signal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "26" | "AC order signal" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "27" | "Brake pedal switch" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "28" | "Pressure switch climate control system" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "29" | "Key" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "30" | "Engine start up" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "31" | "Cruise control" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "32" | "EGR" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "33" | "AD/C" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "34" | "AD/C" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "35" | "Accelerator pedal position sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "36" | "Accelerator pedal position sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "37" | "AD/C" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "38" | "AD/C" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "39" | "Air inlet temperature sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "40" | "Air inlet sensor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "41" | "Control power injector capacitor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "42" | "Control power injector capacitor" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "43" | "Status" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "44" | "Glow time lamp" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "45" | "Check engine lamp" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "46" | "Temperature warning" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "47" | "Fuel pump" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "48" | "Cooling fan" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "49" | "Cooling fan" |
| "Lancia" | "Lybra" | "Engine Diesel" | "AR 37101 1,9 EDC 15" | "" | "Live Parameters" | "50" | "AC compressor" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "1" | "Engine start up" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "2" | "Control unit" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "3" | "Variant coding" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "4" | "Revolution signal" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "5" | "MAP sensor" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "6" | "Air inlet temperature sensor" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "7" | "Coolant temperature sensor" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "8" | "Throttle potentiometer" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "9" | "Calculated ignition timing" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "10" | "Ignition timing" |

| | | | | | | | |
|----------|---------|-----------------|-------------------------|----|-------------------|------|--|
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "11" | "Injection time" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "12" | "Engine load" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "13" | "Idle" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "14" | "Position sensor step motor" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "15" | "Battery voltage" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "16" | "Lambda sensor" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "17" | "Lambda regulation" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "18" | "Lambda integrator" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "19" | "EVAP system" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "20" | "Road speed signal" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "21" | "Ignition coil 1" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "22" | "Ignition coil 2" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "23" | "AC compressor" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "24" | "Pressure switch climate control system" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "25" | "Atmospheric pressure" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "26" | "Check lamp" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "1" | "Engine speed" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "2" | "Inlet manifold pressure" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "3" | "Inlet air temperature" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "4" | "Coolant temperature" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "5" | "Throttle opening" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "6" | "Ignition timing" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "7" | "Engine load" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "8" | "Injection time" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "9" | "Target idle speed" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "10" | "Stepper motor" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "11" | "Battery voltage" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "12" | "Reduction ignition timing, cyl 1" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "13" | "Reduction ignition timing, cyl 2" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "14" | "Reduction ignition timing, cyl 3" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "15" | "Reduction ignition timing, cyl 4" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "16" | "Lambda 1 voltage above catalyst" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "17" | "Lambda 1 voltage below catalyst" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "18" | "Lambda sensor 1 above catalyst" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "19" | "Lambda sensor 1 below catalyst" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "20" | "Lambda 1 status above catalyst" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "21" | "Lambda 2 status above catalyst" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "22" | "Catalyser check" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "23" | "Lambda 1 check above catalyst" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "24" | "Misfire causing catalyst damage" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "25" | "Fuel system check" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "26" | "Evap-valve" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "27" | "Road speed signal" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "28" | "Power latch duration" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "29" | "Engine status" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "30" | "Data storage" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "31" | "Engine status" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "32" | "Vehicle status" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "33" | "Accelerator pedal position" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "34" | "Adaptation air-fuel mixture" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "35" | "Adaptive idle opening" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "36" | "Climate control adaptive idle opening" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "37" | "Atmospheric pressure" |

| | | | | | | | |
|----------|---------|-----------------|-------------------------|----|-------------------|------|---|
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "38" | "Actual gear" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "39" | "Automatic transmission" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "40" | "Throttle opening" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "41" | "Number of rewrites" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "42" | "Request engine" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "43" | "Injection controller" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "44" | "Immobiliser signal" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182A4.000 1,6 IAW 4EF" | "" | "Live Parameters" | "45" | "Misfire causing excess emissions" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "1" | "Engine speed" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "2" | "Inlet manifold pressure" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "3" | "Inlet air temperature" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "4" | "Coolant temperature" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "5" | "Throttle opening" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "6" | "Ignition timing" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "7" | "Engine load" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "8" | "Injection time" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "9" | "Target idle speed" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "10" | "Stepper motor" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "11" | "Battery voltage" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "12" | "Reduction ignition timing, cyl 1" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "13" | "Reduction ignition timing, cyl 2" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "14" | "Reduction ignition timing, cyl 3" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "15" | "Reduction ignition timing, cyl 4" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "16" | "Lambda 1 voltage above catalyst" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "17" | "Lambda 1 voltage below catalyst" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "18" | "Lambda sensor 1 above catalyst" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "19" | "Lambda sensor 1 below catalyst" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "20" | "Lambda 1 status above catalyst" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "21" | "Lambda 2 status above catalyst" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "22" | "Catalyser check" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "23" | "Lambda 1 check above catalyst" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "24" | "Misfire causing catalyst damage" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "25" | "Fuel system check" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "26" | "Evap-valve" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "27" | "Road speed signal" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "28" | "Power latch duration" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "29" | "Engine status" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "30" | "Data storage" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "31" | "Engine status" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "32" | "Vehicle status" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "33" | "Accelerator pedal position" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "34" | "Adaptation air-fuel mixture" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "35" | "Adaptive idle opening" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "36" | "Climate control adaptive idle opening" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "37" | "Atmospheric pressure" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "38" | "Actual gear" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "39" | "Automatic transmission" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "40" | "Throttle opening" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "41" | "Number of rewrites" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "42" | "Request engine" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "43" | "Injection controller" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "44" | "Immobiliser signal" |
| "Lancia" | "Lybra" | "Engine Petrol" | "182B6.000 1,6 IAW 4EF" | "" | "Live Parameters" | "45" | "Misfire causing excess emissions" |

| | | | | | | | |
|----------|---------|-----------------|---------------------------------|----|-------------------|------|---|
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "1" | "Request engine" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "2" | "Injection controller" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "3" | "Immobiliser signal" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "4" | "Max engine speed" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "5" | "Max engine speed" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "6" | "Number of rewrites" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "7" | "Engine speed" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "8" | "Coolant temperature" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "9" | "Air mass measured" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "10" | "Ignition timing" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "11" | "Injection time" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "12" | "Accelerator pedal position" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "13" | "Engine load" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "14" | "Battery voltage" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "15" | "Road speed signal" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "16" | "Lambda regulation" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "17" | "Power steering signal (faulty signal)" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "18" | "Ignition key position" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "19" | "A/C requested" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "20" | "Pressure switch (trinary)" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "21" | "Pressure switch (quadrinary)" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "22" | "Oil pressure switch" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "23" | "AC system" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "24" | "Status of lambda probe" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "25" | "Throttle potentiometer" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "26" | "Sensor, coolant temperature" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "27" | "Air inlet sensor" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A7.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "28" | "Adaption of FRA parameters" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "1" | "Request engine" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "2" | "Injection controller" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "3" | "Immobiliser signal" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "4" | "Max engine speed" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "5" | "Max engine speed" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "6" | "Number of rewrites" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "7" | "Engine speed" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "8" | "Coolant temperature" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "9" | "Air mass measured" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "10" | "Ignition timing" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "11" | "Injection time" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "12" | "Accelerator pedal position" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "13" | "Engine load" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "14" | "Battery voltage" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "15" | "Road speed signal" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "16" | "Lambda regulation" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "17" | "Power steering signal (faulty signal)" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "18" | "Ignition key position" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "19" | "A/C requested" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "20" | "Pressure switch (trinary)" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "21" | "Pressure switch (quadrinary)" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "22" | "Oil pressure switch" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "23" | "AC system" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "24" | "Status of lambda probe" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "25" | "Throttle potentiometer" |

| | | | | | | | |
|----------|---------|-----------------------|---------------------------------|----|-------------------|------|---------------------------------------|
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "26" | "Sensor, coolant temperature" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "27" | "Air inlet sensor" |
| "Lancia" | "Lybra" | "Engine Petrol" | "839A9.000 1,8 Hitachi MPI 201" | "" | "Live Parameters" | "28" | "Adaption of FRA parameters" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "2" | "Hardware number" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "3" | "Hardware version" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "4" | "Software number" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "5" | "Software version" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "6" | "ISO Code" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "7" | "Country type" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "1" | "Driver's door" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "2" | "Passenger door" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "3" | "Hazard warning lights" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "4" | "Inertia switch" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "5" | "Boot lid" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "6" | "Key position" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "7" | "Engine start signal" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "8" | "Electrical steering (NGE)" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "9" | "Parking brake" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "10" | "Heated rear window control" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "11" | "Brake fluid level" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "12" | "Brake pads" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "13" | "Stop fuse input" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "14" | "Reversing light" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "15" | "Door locking" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "16" | "Door unlocking" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "17" | "Trunk lid exterior unlocking switch" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "18" | "Interior door locking button" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "19" | "Left indicator light" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "20" | "Right indicator light" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "21" | "Main beam" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "22" | "High beam flash switch" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "23" | "Lights control" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "24" | "Front fog lights" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "25" | "Rear fog lights" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "26" | "Interior lighting" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "27" | "Generator" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "28" | "Battery voltage" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "29" | "Fuel level" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "30" | "Ambient air temperature" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "31" | "Programming" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "32" | "Engine Control unit" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "33" | "Last key used" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "34" | "Dialogue with ECE" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "35" | "Key transponder" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "36" | "Number of enabled keys" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "37" | "Number of disabled keys" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "38" | "Transponder message line" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "39" | "ID of last key used" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "40" | "Electronic key" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "41" | "Minicrypt" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "42" | "Stored remote controls count" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "43" | "ID of last remote control used" |

| | | | | | | | |
|----------|--------|-----------------------|-------------------------------------|----|-------------------|------|--|
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "44" | "Door locking remote control button" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "45" | "Door unlocking remote control button" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "46" | "Trunk remote control button" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "2" | "Hardware version" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "3" | "Software version" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "4" | "ISO Code" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "1" | "Hazard warning flashers" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "2" | "Left indicator light" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "3" | "Right indicator light" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "4" | "High beam activation" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "5" | "High beam" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "6" | "Rear fog lights" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "7" | "Brake fluid level" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "8" | "Brake light" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "9" | "Brake lining condition" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "10" | "Hand brake" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "11" | "Front fog lights" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "12" | "Headlight washer" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "13" | "Hood switch" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "14" | "Trunk" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "15" | "Driver's door" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "16" | "Passenger door" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "17" | "Left rear door" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "18" | "Right rear door" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "19" | "Stop fuse input" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "20" | "Ignition key position" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "21" | "Reversing light" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "22" | "Parking lights" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "23" | "Passengers door unlocking" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "24" | "Heated rear window" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "25" | "Alternator" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "26" | "Alarm wiring" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "27" | "Trunk opening switch" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "28" | "Remote control status" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "29" | "Programming" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "30" | "Engine Control unit" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "31" | "ECU code request" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "32" | "Transponder message line" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "33" | "Number of enabled keys" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "34" | "Number of disabled keys" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "35" | "Number of last key used" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "36" | "ID of last key used" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "37" | "Dialogue with ECE" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "38" | "Last key used" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "39" | "Stored remote controls count" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "40" | "ID of last remote control used" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "41" | "Number of last remote control used" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "42" | "Door locking remote control button" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "43" | "Door unlocking remote control button" |
| "Lancia" | "Musa" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "44" | "Trunk remote control button" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "ECU Information" | "1" | "ISO Code" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "ECU Information" | "2" | "Serial number" |

| | | | | | | | |
|----------|--------|----------------|-------------------------------------|----|-------------------|------|-------------------------------------|
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "ECU Information" | "3" | "Sensors group" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "ECU Information" | "4" | "Sensors group" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "ECU Information" | "5" | "Sensors group" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "ECU Information" | "6" | "Sensors group" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "ECU Information" | "7" | "Sensors group" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "ECU Information" | "8" | "Sensors group" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "ECU Information" | "9" | "Sensors group" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "1" | "Number of rewrites" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "2" | "Clutch pedal" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "3" | "Reverse gear" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "4" | "Parking brake" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "5" | "Front left wheel speed sensor" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "6" | "Front right wheel speed sensor" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "7" | "Rear left wheel speed sensor" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "8" | "Rear right wheel speed sensor" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "9" | "Brake pedal light" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "10" | "Recirculating Pump" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "11" | "Front left load valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "12" | "Front left drain valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "13" | "Front right load valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "14" | "Front right drain valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "15" | "Left rear load valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "16" | "Left rear drain valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "17" | "Right rear load valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "18" | "Right rear drain valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "19" | "Primary valve 1" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "20" | "Primary valve 2" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "21" | "Drive valve 1" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "22" | "Drive valve 2" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "23" | "ASR button" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "24" | "Battery voltage" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "25" | "Steering angle" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "26" | "Yaw sensor" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "27" | "Pressure sensor" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "28" | "Lateral acceleration sensor" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "29" | "Key-on counter" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "30" | "Acceleration sensor, longitudinal" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "31" | "Brake switch 1" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8 VDC ABS Stability Control" | "" | "Live Parameters" | "32" | "Brake switch 2" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "1" | "Front left wheel speed sensor" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "2" | "Front right wheel speed sensor" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "3" | "Rear left wheel speed sensor" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "4" | "Rear right wheel speed sensor" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "5" | "Brake pedal light" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "6" | "Valve relay" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "7" | "Recirculating Pump" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "8" | "Front left load valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "9" | "Front left drain valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "10" | "Front right load valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "11" | "Front right drain valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "12" | "Left rear load valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "13" | "Left rear drain valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "14" | "Right rear load valve" |

| | | | | | | | |
|----------|--------|-------------------|------------------|----|-------------------|------|--------------------------------------|
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "15" | "Right rear drain valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "16" | "Battery voltage" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "17" | "Acceleration sensor, longitudinal" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "ECU Information" | "1" | "ISO Code" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "ECU Information" | "2" | "Serial number" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "1" | "Number of rewrites" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "2" | "Front left wheel speed sensor" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "3" | "Front right wheel speed sensor" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "4" | "Rear left wheel speed sensor" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "5" | "Rear right wheel speed sensor" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "6" | "Brake pedal light" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "7" | "Valve relay" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "8" | "Recirculating Pump" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "9" | "Front left load valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "10" | "Front left drain valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "11" | "Front right load valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "12" | "Front right drain valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "13" | "Left rear load valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "14" | "Left rear drain valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "15" | "Right rear load valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "16" | "Right rear drain valve" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "17" | "Battery voltage" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "18" | "Key-on counter" |
| "Lancia" | "Musa" | "Brake System" | "Bosch 8.0 ABS" | "" | "Live Parameters" | "19" | "Acceleration sensor, longitudinal" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "ECU Information" | "2" | "Hardware version" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "ECU Information" | "3" | "Software version" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "ECU Information" | "4" | "ISO Code" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "ECU Information" | "5" | "Driving version" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "ECU Information" | "6" | "Sensor, evaporator" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "ECU Information" | "7" | "Additional heater" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "1" | "Battery voltage" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "2" | "Cooling fan" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "3" | "Defrost sensor" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "4" | "Outside temperature" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "5" | "Compartment temperature" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "6" | "LH requested temperature" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "7" | "RH requested temperature" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "8" | "LH vent air temperature sensor" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "9" | "RH vent air temperature sensor" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "10" | "LH footwell air temperature sensor" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "11" | "RH footwell air temperature sensor" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "12" | "Sun sensor, left side" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "13" | "Sun sensor, right side" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "14" | "Left Mixture flap position" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "15" | "Right Mixture flap position" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "16" | "Distribution position left" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "17" | "Distribution position right" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "18" | "Left Mixture motor feedback" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "19" | "Right Mixture motor feedback" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "20" | "LH distributor actuator feedback" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "21" | "RH distributor actuator feedback" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "22" | "AC button" |

| | | | | | | | |
|----------|--------|-------------------|----------------------------------|----|-------------------|------|-------------------------------------|
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "23" | "Recirculation button" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "24" | "Fan +" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "25" | "Fan -" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "26" | "Max defroster button" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "27" | "Off button" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "28" | "Mono button" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "29" | "Left side auto button" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "30" | "LH defroster button" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "31" | "LH feet button" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "32" | "LH vent button" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "33" | "Right side auto button" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "34" | "RH defroster button" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "35" | "RH feet button" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "36" | "RH vent button" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "37" | "Mono button led" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "38" | "LH defroster led" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "39" | "LH feet led" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "40" | "LH vent led" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "41" | "RH defroster led" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "42" | "RH feet led" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "43" | "RH vent led" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "44" | "Off button led" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "45" | "Compressor LED (A/C)" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "46" | "Recirculation LED" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "47" | "Defroster max button led" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "48" | "Recirculation status" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "49" | "Left Mixture flap position" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "50" | "Right Mixture flap position" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "51" | "Distribution position left" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "52" | "Distribution position right" |
| "Lancia" | "Musa" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "53" | "A/C compressor status" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "ECU Information" | "2" | "Hardware number" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "ECU Information" | "3" | "Software number" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "ECU Information" | "4" | "ISO Code" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "1" | "Injection controller" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "2" | "Engine start up" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "3" | "Universal code" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "4" | "Numbers of overrevs" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "5" | "Max engine speed counter" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "6" | "Max engine speed" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "7" | "Number of rewrites" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "8" | "Odometer at last rewrite" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "9" | "Engine speed" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "10" | "Battery voltage" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "11" | "Power supply 1" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "12" | "Power supply 2" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "13" | "Power supply 3" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "14" | "Fuel pressure measured" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "15" | "Air mass measured" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "16" | "AD/C air flow meter" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "17" | "Vehicle speed" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "18" | "Accelerator pedal position sensor" |

| | | | | | | | |
|----------|--------|-----------------|----------------------------------|----|-------------------|------|---|
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "19" | "AD/C accelerator position 1" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "20" | "AD/C accelerator position 2" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "21" | "Clutch pedal" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "22" | "Brake pedal" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "23" | "Secondary brake contact" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "24" | "Fuel temperature" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "25" | "Atmospheric pressure" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "26" | "Overboost" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "27" | "Boost pressure, AD/C" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "28" | "Inlet air temperature" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "29" | "Injection amount" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "30" | "Current gear" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "31" | "Gearbox type" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "32" | "Water temperature" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "33" | "Water temperature AD/C" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "34" | "A/C requested" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "35" | "Oil pressure" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "36" | "Preheating diagnos" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "37" | "Preheating unit" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "38" | "Boost pressure regulation" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "39" | "Low speeds control valve" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "40" | "High speeds control valve" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "41" | "Fuel filter warm up" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "42" | "EGR valve opening" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "43" | "Fuel pump relay" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "44" | "AC-relay" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "45" | "Accelerator pedal position sensor" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "46" | "Cooling fan mode" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "47" | "Automatic Climate System" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "48" | "Brake nod (NFR)" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "49" | "Cruise control" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "50" | "Target fuel pressure" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "51" | "EGR target position" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "52" | "Target air mass" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "53" | "Fuel quantity correction cylinder 1" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "54" | "Engine status" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "55" | "Injector identification cylinder 1" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "56" | "Injector identification cylinder 2" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "57" | "Injector identification cylinder 3" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "58" | "Injector identification cylinder 4" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "59" | "Vehicle status" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "60" | "Control signal injection valves" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "61" | "Fuel quantity correction cylinder 2" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "62" | "Fuel quantity correction cylinder 3" |
| "Lancia" | "Musa" | "Engine Diesel" | "188A9.000 1,3 Marelli 6JF EOBD" | "" | "Live Parameters" | "63" | "Fuel quantity correction cylinder 4" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Adaptations" | "1" | "Oil change reset (only for version with DPF)" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Adaptations" | "2" | "Replacement of the sensor of the pressure of the rail" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Adaptations" | "3" | "Replacement of the oxygen sensor" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Adaptations" | "4" | "Replacement of the sensor of the air flow" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Adaptations" | "5" | "EGR mixer butterfly replacement" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Adaptations" | "6" | "Particle filter pressure diff sensor" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Adaptations" | "7" | "Cylinder 1 injector code" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Adaptations" | "8" | "Cylinder 2 injector code" |

| | | | | | | | |
|----------|--------|-----------------|--------------------------------|----|-------------------|------|--------------------------------------|
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Adaptations" | "9" | "Cylinder 3 injector code" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Adaptations" | "10" | "Cylinder 4 injector code" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Adaptations" | "11" | "Regeneration" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "ECU Information" | "2" | "Hardware number" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "ECU Information" | "3" | "Software number" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "ECU Information" | "4" | "ECU number of type approval" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "ECU Information" | "5" | "ISO Code" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "1" | "Injection controller" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "2" | "Engine start up" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "3" | "Odometer" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "4" | "Numbers of overrevs" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "5" | "Max engine speed counter" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "6" | "Max engine speed" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "7" | "Odometer at last rewrite" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "8" | "Engine speed" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "9" | "Accelerator pedal position" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "10" | "Target fuel pressure" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "11" | "Fuel pressure measured" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "12" | "Pressure actuator" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "13" | "Air mass measured" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "14" | "Target air mass" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "15" | "EGR valve opening" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "16" | "Measured boost pressure" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "17" | "Target overboost pressure" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "18" | "Charging pressure valve" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "19" | "Atmospheric pressure" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "20" | "Inlet air temperature" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "21" | "Air temperature (Turbo)" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "22" | "Coolant temperature" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "23" | "Fuel temperature" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "24" | "Vehicle speed" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "25" | "Battery voltage" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "26" | "Atmospheric pressure" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "27" | "AD/C accelerator position 1" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "28" | "AD/C accelerator position 2" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "29" | "Boost pressure, AD/C" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "30" | "Water temperature AD/C" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "31" | "High pressure regulating" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "32" | "Preheating unit" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "33" | "Fuel pump relay" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "34" | "A/C requested" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "35" | "AC-relay" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "36" | "Refrigerant pressure" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "37" | "Cooling fan high speed (if fitted)" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "38" | "Throttle position" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "39" | "Fuel filter warm up" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "40" | "Fuel quantity" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "41" | "Water in diesel filter" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "42" | "Brake pedal status" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "43" | "Brake switch 2" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "44" | "Clutch pedal" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "45" | "Oil pressure" |

| | | | | | | | |
|----------|--------|-----------------|----------------------------------|----|-------------------|------|--------------------------------------|
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "46" | "Oil pressure lamp" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "47" | "Air control inhibit" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "48" | "Overboost strategy" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "49" | "Injector identification cylinder 1" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "50" | "Injector identification cylinder 2" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "51" | "Injector identification cylinder 3" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "52" | "Injector identification cylinder 4" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "53" | "AC compressor" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "54" | "Fan control" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "55" | "Cylinder 1 fuel trim" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "56" | "Cylinder 2 fuel trim" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "57" | "Cylinder 3 fuel trim" |
| "Lancia" | "Musa" | "Engine Diesel" | "188B2.000 1,9 EDC16 CF4 EOBD" | "" | "Live Parameters" | "58" | "Cylinder 4 fuel trim" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "ECU Information" | "2" | "Hardware number" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "ECU Information" | "3" | "Software number" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "ECU Information" | "4" | "ISO Code" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "1" | "Engine start up" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "2" | "Injection controller" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "3" | "Universal code" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "4" | "Numbers of overrevs" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "5" | "Max engine speed counter" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "6" | "Max engine speed" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "7" | "Number of rewrites" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "8" | "Odometer at last rewrite" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "9" | "Engine speed" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "10" | "Battery voltage" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "11" | "Power supply sensor 1" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "12" | "Power supply sensor 2" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "13" | "Power supply sensor 3" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "14" | "Fuel pressure measured" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "15" | "Fuel pressure AD/C" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "16" | "Air mass measured" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "17" | "Air temperature (Turbo)" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "18" | "Vehicle speed" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "19" | "Accelerator pedal" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "20" | "AD/C accelerator position 1" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "21" | "AD/C accelerator position 2" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "22" | "Clutch pedal" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "23" | "Brake pedal" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "24" | "Brake light switch 2" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "25" | "Fuel temperature" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "26" | "Fuel temperature AD/C" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "27" | "Atmospheric pressure" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "28" | "Overboost pressure measured" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "29" | "Boost pressure, AD/C" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "30" | "Inlet air temperature" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "31" | "AD/C air temperature (Turbo)" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "32" | "Cruise control switch" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "33" | "Cruise control switch" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "34" | "Injection amount" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "35" | "Gear engaged" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "36" | "Gearbox type" |

| | | | | | | | |
|----------|--------|-----------------|---|----|-------------------|------|---------------------------------------|
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "37" | "Water temperature" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "38" | "Water temperature AD/C" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "39" | "Pressure switch (quadrinary)" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "40" | "Pressure switch (trinary)" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "41" | "A/C requested" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "42" | "Preheating diagnos" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "43" | "Pressure regulation valve (DRV)" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "44" | "Low speeds control valve" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "45" | "Pressure regulation valve (MPROP)" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "46" | "High speeds control valve" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "47" | "EGR valve opening" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "48" | "Fuel pump relay" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "49" | "AC-relay" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "50" | "Boost pressure valve, closing" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "51" | "Cooling fan mode" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "52" | "Target fuel pressure" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "53" | "Target air mass" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "54" | "Target overboost pressure" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "55" | "Lambda sensor, voltage" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "56" | "Lambda sensor oxygen part" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "57" | "Injector identification cylinder 1" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "58" | "Injector identification cylinder 2" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "59" | "Injector identification cylinder 3" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "60" | "Injector identification cylinder 4" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "61" | "Fuel quantity correction cylinder 1" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "62" | "Fuel quantity correction cylinder 2" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "63" | "Fuel quantity correction cylinder 3" |
| "Lancia" | "Musa" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "64" | "Fuel quantity correction cylinder 4" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "ECU Information" | "2" | "Hardware number" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "ECU Information" | "3" | "Software number" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "ECU Information" | "4" | "ISO Code" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "1" | "Injection controller" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "2" | "Engine start up" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "3" | "Universal code" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "4" | "Dedicated line" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "5" | "Odometer" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "6" | "Numbers of overrevs" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "7" | "Max engine speed counter" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "8" | "Max engine speed" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "9" | "Number of rewrites" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "10" | "Odometer at last rewrite" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "11" | "Engine speed" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "12" | "Coolant temperature" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "13" | "Inlet air temperature" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "14" | "Spark advance" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "15" | "Injection time" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "16" | "Engine load" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "17" | "Throttle angle" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "18" | "Intake pressure" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "19" | "Air flow rate" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "20" | "Cruise control switch" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "21" | "Set cruise deceleration (-)" |

| | | | | | | | |
|----------|--------|--------------------------|---|----|-------------------|------|--|
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "22" | "Set cruise acceleration (+)" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "23" | "Cruise control switch, set/resume" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "24" | "Battery voltage" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "25" | "Vehicle speed (from CAN)" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "26" | "Lambda 1 voltage above catalyst" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "27" | "Lambda 1 voltage below catalyst" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "28" | "Target idle speed" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "29" | "EVAP system, open" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "30" | "Injection timing deviation" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "31" | "Throttle potentiometer, track 1" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "32" | "Throttle potentiometer, track 2" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "33" | "Accelerator pedal position sensor" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "34" | "FRA 1 Factor" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "35" | "DTV 1 Factor" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "36" | "Throttle learn storage" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "37" | "Atmospheric pressure" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "38" | "Air flow - throttle closed" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "39" | "Cooling fan 1" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "40" | "Cooling fan 2" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "41" | "Detonation check" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "42" | "Ignition key position" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "43" | "Clutch pedal" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "44" | "Brake pedal" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "45" | "A/C requested" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "46" | "A/C compressor" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "47" | "Engine status" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "48" | "Engine warm up signal" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "49" | "Cut-off status" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "50" | "Lambda 1 status above catalyst" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "51" | "Lambda 1 status below catalyst" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "52" | "Evap-valve" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "53" | "Self-adaptive parameters" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "54" | "Anti-skid (ASR)" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "55" | "Driving cycle" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "56" | "Catalysator 1 heating" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "57" | "Catalyst 1" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "58" | "Accelerator pedal movement" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "59" | "Throttle learn results" |
| "Lancia" | "Musa" | "Engine Petrol" | "843A1.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "60" | "Malfunction indicator lamp (MIL)" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Comfort" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Comfort" | "" | "ECU Information" | "2" | "Hardware version" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Comfort" | "" | "ECU Information" | "3" | "Software version" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Comfort" | "" | "ECU Information" | "4" | "ISO Code" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Comfort" | "" | "Live Parameters" | "1" | "Km value read" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Comfort" | "" | "Live Parameters" | "2" | "Serviceinterval" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Comfort" | "" | "Live Parameters" | "3" | "Distance indicator at last service reset" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Comfort" | "" | "Live Parameters" | "4" | "Date of last service operation" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Comfort" | "" | "Live Parameters" | "5" | "Belt reminder" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Comfort" | "" | "Live Parameters" | "6" | "Vehicle speed" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Comfort" | "" | "Live Parameters" | "7" | "Engine speed" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Comfort" | "" | "Live Parameters" | "8" | "Water temperature" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Comfort" | "" | "Live Parameters" | "9" | "Fuel gauge" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Comfort" | "" | "Live Parameters" | "10" | "Battery voltage" |

| | | | | | | | |
|----------|--------|--------------------------|-----------------------|----|-------------------|------|--|
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Comfort" | "" | "Live Parameters" | "11" | "Head lamp position correct" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Comfort" | "" | "Live Parameters" | "12" | "Outside temperature" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Comfort" | "" | "Live Parameters" | "13" | "Driving range to next servicing" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Comfort" | "" | "Live Parameters" | "14" | "Days until service" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Comfort" | "" | "Live Parameters" | "15" | "Dimming switch panel" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Comfort" | "" | "Live Parameters" | "16" | "Buzzer volume" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Comfort" | "" | "Live Parameters" | "17" | "Button volume" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Modale" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Modale" | "" | "ECU Information" | "2" | "ISO Code" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Modale" | "" | "Live Parameters" | "1" | "Km value read" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Modale" | "" | "Live Parameters" | "2" | "Belt reminder" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Modale" | "" | "Live Parameters" | "3" | "Vehicle speed" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Modale" | "" | "Live Parameters" | "4" | "Engine speed" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Modale" | "" | "Live Parameters" | "5" | "Water temperature" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Modale" | "" | "Live Parameters" | "6" | "Fuel gauge" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Modale" | "" | "Live Parameters" | "7" | "Battery voltage" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Modale" | "" | "Live Parameters" | "8" | "Head lamp position correct" |
| "Lancia" | "Musa" | "Instrument / Dashboard" | "Marelli Modale" | "" | "Live Parameters" | "9" | "Buzzer volume" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "ECU Information" | "1" | "ISO Code" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "1" | "Battery voltage" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "2" | "1 st level, driver's airbag resistance" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "3" | "2nd level, driver's airbag resistance" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "4" | "1 st level, passenger airbag resistance" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "5" | "2nd level, passenger airbag resistance" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "6" | "Driver's pretensioner resistance" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "7" | "Passenger pretensioner resistance" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "8" | "Driver-side airbag safety curtain" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "9" | "Passenger-side airbag safety curtain" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "10" | "Drivers seatbelt" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "11" | "Passenger airbag exclusion switch" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "12" | "Instrument cluster" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "13" | "Trip computer" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "14" | "Body computer" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "15" | "Failure warning lamp status (from can)" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "16" | "Passenger airbag exclusion warning lamp (from can)" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "17" | "Seat belt warning lamp (from can)" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "18" | "SRS warning lamp" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "19" | "Passenger airbag exclusion switch" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "20" | "Passenger airbag exclusion warning lamp" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "21" | "Passenger airbag and knee guard" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "22" | "Drivers seatbelt" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "23" | "Pretensioner cut-in" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-2T-I)" | "" | "Live Parameters" | "24" | "Mode status" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "ECU Information" | "1" | "ISO Code" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "1" | "Battery voltage" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "2" | "1 st level, driver's airbag resistance" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "3" | "2nd level, driver's airbag resistance" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "4" | "1 st level, passenger airbag resistance" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "5" | "2nd level, passenger airbag resistance" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "6" | "Driver's pretensioner resistance" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "7" | "Passenger pretensioner resistance" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "8" | "Drivers seatbelt" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "9" | "Passenger airbag exclusion switch" |

| | | | | | | | |
|----------|--------|--------------|--------------------|----|-------------------|------|--|
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "10" | "Instrument cluster" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "11" | "Trip computer" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "12" | "Body computer" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "13" | "Failure warning lamp status (from can)" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "14" | "Passenger airbag exclusion warning lamp (from can)" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "15" | "Seat belt warning lamp (from can)" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "16" | "SRS warning lamp" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "17" | "Passenger airbag exclusion switch" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "18" | "Passenger airbag exclusion warning lamp" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "19" | "Passenger airbag and knee guard" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "20" | "Drivers seatbelt" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "21" | "Pretensioner cut-in" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "22" | "Drivers side impac sensor interrupt" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "23" | "Passenger side impac sensor interrupt" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "24" | "Drivers side head-on impac sensor interrupt" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "25" | "Passenger side head-on impac sensor interrupt" |
| "Lancia" | "Musa" | "Restraints" | "TRW MY (2F-2P-I)" | "" | "Live Parameters" | "26" | "Mode status" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "ECU Information" | "2" | "Hardware number" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "ECU Information" | "3" | "Software number" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "ECU Information" | "4" | "ISO Code" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "ECU Information" | "5" | "Vehicle type" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "ECU Information" | "6" | "Calibration version" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "ECU Information" | "7" | "Steering sensor serial number" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "Live Parameters" | "1" | "Battery voltage" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "Live Parameters" | "2" | "Steering angle" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "Live Parameters" | "3" | "Vehicle speed (from CAN)" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "Live Parameters" | "4" | "Steering angle calibration" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "Live Parameters" | "5" | "Steering angle signal" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "Live Parameters" | "6" | "Initialisation position" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "Live Parameters" | "7" | "Operation conditions" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "Live Parameters" | "8" | "Alternator" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "Live Parameters" | "9" | "Steering angle status on can" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "Live Parameters" | "10" | "Steering angle sensor" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "ECU Information" | "2" | "Programming date" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "ECU Information" | "3" | "Hardware version" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "ECU Information" | "4" | "Software version number" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "ECU Information" | "5" | "ISO Code" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "ECU Information" | "6" | "Vehicle type" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "ECU Information" | "7" | "Type of slaving" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "ECU Information" | "8" | "Slave version" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "ECU Information" | "9" | "Body version" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "ECU Information" | "10" | "Vehicle type" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "ECU Information" | "11" | "Vehicle model" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "ECU Information" | "12" | "Steering angle sensor" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "ECU Information" | "13" | "Engine type" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "ECU Information" | "14" | "Serial number" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "Live Parameters" | "1" | "Battery voltage" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "Live Parameters" | "2" | "Steering angle" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "Live Parameters" | "3" | "Vehicle speed (from CAN)" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "Live Parameters" | "4" | "Steering angle calibration" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "Live Parameters" | "5" | "Steering angle signal" |

| | | | | | | | |
|----------|------------|-----------------------|-------------------------|----|-------------------|------|-------------------------------------|
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "Live Parameters" | "6" | "Initialisation position" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "Live Parameters" | "7" | "Operating mode" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "Live Parameters" | "8" | "Alternator status (from can)" |
| "Lancia" | "Musa" | "Steering" | "TRW" | "" | "Live Parameters" | "9" | "Steering angle status on can" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "1" | "Request engine" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "2" | "Injection controller" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "3" | "Immobiliser signal" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "4" | "Kilometre counter" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "5" | "Engine speed" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "6" | "Inlet manifold pressure" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "7" | "Inlet air temperature" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "8" | "Coolant temperature" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "9" | "Throttle potentiometer" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "10" | "Calculated ignition timing" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "11" | "Ignition timing" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "12" | "Injection time" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "13" | "Engine load" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "14" | "Desired idling speed" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "15" | "Position sensor step motor" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "16" | "Battery voltage" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "17" | "Status of lambda probe" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "18" | "Lambda regulation" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "19" | "Status, lambda control" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "20" | "Carbon filter solenoid valve" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "21" | "Road speed signal" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "22" | "Coil 1 charge time" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "23" | "Coil 2 charge time" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "24" | "Data storage" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "25" | "AC compressor" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "26" | "AC system" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "27" | "Accelerator pedal position sensor" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "28" | "Atmospheric pressure" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "29" | "Phase recognition test" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "30" | "Phase recognition" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "31" | "Cooling fan" |
| "Lancia" | "NewDelta" | "Engine Petrol" | "182A4.000 1,6 IAW 49F" | "" | "Live Parameters" | "32" | "Water temperature warning lamp" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "ECU Information" | "1" | "ISO Code" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "ECU Information" | "2" | "VIN code" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "ECU Information" | "3" | "Software number" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "ECU Information" | "4" | "Software version" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "1" | "Engine running" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "2" | "Economy position" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "3" | "Actual + for accessories (+ACC)" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "4" | "Ignition +15" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "5" | "Rain sensor supply" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "6" | "Rear window switch supply" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "7" | "Battery voltage" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "8" | "Alternator voltage" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "9" | "Supply, VAN comfort" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "10" | "Supply, VAN body" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "11" | "Fuel pump shut off" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "12" | "Fuel pump relay" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "13" | "Air pump" |

| | | | | | | | |
|----------|----------|-----------------------|-----------------------|----|-------------------|------|---|
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "14" | "Output status of air pump/water in diesel relay" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "15" | "Control of AC compressor" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "16" | "A/C relay, output" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "17" | "Radiator fan relay" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "18" | "Medium speed fan control" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "19" | "Evaporator icing safety circuit" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "20" | "Evaporator, air conditioning" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "21" | "ESP disarming request" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "22" | "Hand brake" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "23" | "Brake pedal switch" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "24" | "Information reverse" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "25" | "Switch, belt, driver side" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "26" | "Switch, belt, passenger side" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "27" | "Wheel status front left" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "28" | "Wheel status front right" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "29" | "Wheel status rear right" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "30" | "Wheel status rear left" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "31" | "Front left wheel pressure" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "32" | "Front right wheel pressure" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "33" | "Rear right wheel pressure" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "34" | "Rear left wheel pressure" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "35" | "Rear fog light control" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "36" | "Control of right flashers" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "37" | "Control of left flashers" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "38" | "Indicator relay" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "39" | "Interior lighting" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "40" | "Courtesy light control relay output" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "41" | "Dipped beam" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "42" | "Main beam" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "43" | "Position light control" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "44" | "Bootlid light control" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "45" | "Boot light control relay output" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "46" | "Horn" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "47" | "Programmed keys" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "48" | "Remote control" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "49" | "BSI paired with engine control unit" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "50" | "BSI with anti-scanning" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "51" | "BSI not programmed" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "52" | "Boot open" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "53" | "Boot lid opening control" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "54" | "Boot opening relay output" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "55" | "Opening of bootlid requested" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "56" | "Right rear door" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "57" | "Left rear door" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "58" | "Right front door" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "59" | "Left front door" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "60" | "Childproof lock activation control" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "61" | "Childproof lock de-activation control" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "62" | "Engine coolant level lamp" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "63" | "Oil pressure lamp" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "64" | "Gross fuel level" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "65" | "Filtered fuel level" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "66" | "Fuel level pointer, instrumentation" |

| | | | | | | | |
|----------|----------|-----------------------|---------------------------------|----|-------------------|------|--------------------------------------|
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "67" | "Fuel gauge impedance" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "68" | "Outside temperature" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "69" | "Coolant temperature" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "70" | "Engine oil temperature" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "71" | "Oil level gauge" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "72" | "Maintenance counter" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "73" | "Twilight brightness measurement" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "74" | "Average fuel consumption/distance" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "75" | "Average fuel consumption/travel" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "76" | "Total distance (km)" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "77" | "Levelled consumption" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "78" | "Rear screen wiper" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "79" | "Wipers, front, low speed control" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "80" | "Wipers, front, high speed control" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "81" | "Washers, front, requested" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "82" | "Washer, rear, requested" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "83" | "Headlight washer requested" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "84" | "Wiper, rear, control of stopping" |
| "Lancia" | "Phedra" | "Body Control Module" | "Sagem Body Computer" | "" | "Live Parameters" | "85" | "Wipers, front, control of stopping" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "ECU Information" | "1" | "ISO Code" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "ECU Information" | "2" | "Reference PSA" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "ECU Information" | "3" | "Supplier" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "ECU Information" | "4" | "Software version" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "ECU Information" | "5" | "Left hand drive" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "ECU Information" | "6" | "Diesel" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "ECU Information" | "7" | "Type of glass" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "Live Parameters" | "1" | "Battery voltage" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "Live Parameters" | "2" | "Compartment temperature" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "Live Parameters" | "3" | "Mixed air temperature left" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "Live Parameters" | "4" | "Mixed air temperature right" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "Live Parameters" | "5" | "Distribution position left" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "Live Parameters" | "6" | "Distribution position right" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "Live Parameters" | "7" | "Air distribution valve" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "Live Parameters" | "8" | "Recirculation actuator" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "Live Parameters" | "9" | "Left temperature Increase" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "Live Parameters" | "10" | "Left temperature Decrease" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "Live Parameters" | "11" | "Right temperature Increase" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "Live Parameters" | "12" | "Right temperature Decrease" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "Live Parameters" | "13" | "Fan +" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "Live Parameters" | "14" | "Fan -" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "Live Parameters" | "15" | "Recirculation button" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "Live Parameters" | "16" | "Auto button" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "Live Parameters" | "17" | "Defrost button" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "Live Parameters" | "18" | "AC button" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "Live Parameters" | "19" | "Windscreen button" |
| "Lancia" | "Phedra" | "Climate Control" | "Marelli" | "" | "Live Parameters" | "20" | "Ventilation, rear" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "ECU Information" | "1" | "ISO Code" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "ECU Information" | "2" | "Reference PSA" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "ECU Information" | "3" | "Supplier" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "ECU Information" | "4" | "Software version" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "1" | "Immobilisation status" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "2" | "Engine start up" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "3" | "Engine torque" |

| | | | | | | | |
|----------|----------|-----------------|-----------------------------------|----|-------------------|------|--|
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "4" | "Cut-off status" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "5" | "Air temperature" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "6" | "Intake pressure" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "7" | "Water temperature" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "8" | "Throttle position" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "9" | "Throttle angle" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "10" | "Signal from throttle actuator" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "11" | "Ignition timing" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "12" | "Coil charge time cylinder 1" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "13" | "Coil charge time cylinder 2" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "14" | "Coil charge time cylinder 3" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "15" | "Coil charge time cylinder 4" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "16" | "Front lambda sensor" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "17" | "Rear lambda sensor" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "18" | "Lambda regulation" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "19" | "Carbon filter solenoid valve" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "20" | "Carbon filter solenoid valve, degree of opening" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "21" | "Air conditioning authorisation" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "22" | "Engine speed" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "23" | "Battery voltage" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "24" | "Injection time" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "25" | "Vehicle speed" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "26" | "Gear detected" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "27" | "Main relay" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "28" | "Cooling fan relay" |
| "Lancia" | "Phedra" | "Engine Petrol" | "RFN 2,0 Magneti Marelli MM6LP" | "" | "Live Parameters" | "29" | "Fan speed" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "ECU Information" | "1" | "ISO Code" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "ECU Information" | "2" | "Supplier" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "ECU Information" | "3" | "Software version" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "1" | "Engine speed" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "2" | "Battery voltage" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "3" | "Injection time" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "4" | "Injection shut-off" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "5" | "Coolant temperature" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "6" | "Inlet air temperature" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "7" | "Inlet manifold pressure" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "8" | "Spark advance" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "9" | "Coil charge time cylinder 1" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "10" | "Coil charge time cylinder 2" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "11" | "Coil charge time cylinder 3" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "12" | "Coil charge time cylinder 4" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "13" | "Coil charge time cylinder 5" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "14" | "Coil charge time cylinder 6" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "15" | "Status of front cylinders upstream oxygen sensor" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "16" | "Status of front cylinders downstream oxygen sensor" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "17" | "Status of rear cylinders upstream oxygen sensor" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "18" | "Status of rear cylinders downstream oxygen sensor" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "19" | "Voltage of front cylinders upstream oxygen sensor" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "20" | "Voltage of rear cylinders downstream oxygen sensor" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "21" | "Voltage of rear cylinders upstream oxygen sensor" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "22" | "Voltage of rear cylinders downstream oxygen sensor" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "23" | "Catalytic converter diagnosis" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "24" | "Throttle status" |

| | | | | | | | |
|----------|-------------|--------------------------|-----------------------------------|----|-------------------|------|---|
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "25" | "Throttle angle" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "26" | "Throttle signal" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "27" | "Carbon filter solenoid valve, degree of opening" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "28" | "Carbon filter solenoid valve" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "29" | "Vehicle speed" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "30" | "Low speed radiator fan relay" |
| "Lancia" | "Phedra" | "Engine Petrol" | "XFW 3,0 Bosch Motronic Me 7.4.6" | "" | "Live Parameters" | "31" | "High speed radiator fan relay" |
| "Lancia" | "Phedra" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "ECU Information" | "1" | "ISO Code" |
| "Lancia" | "Phedra" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "ECU Information" | "2" | "Reference PSA" |
| "Lancia" | "Phedra" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "ECU Information" | "3" | "Software version" |
| "Lancia" | "Phedra" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "ECU Information" | "4" | "Supplier" |
| "Lancia" | "Phedra" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "ECU Information" | "5" | "Diesel" |
| "Lancia" | "Phedra" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "ECU Information" | "6" | "Vehicle version" |
| "Lancia" | "Phedra" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "1" | "Switch, hazardwarning" |
| "Lancia" | "Phedra" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "2" | "Brightness, instrument panel" |
| "Lancia" | "Phedra" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "3" | "ESP button" |
| "Lancia" | "Phedra" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "4" | "Climate control" |
| "Lancia" | "Phedra" | "Instrument / Dashboard" | "Marelli Instrument" | "" | "Live Parameters" | "5" | "Button, heated rear window" |
| "Lancia" | "Phedra" | "Restraints" | "Temec Airbag" | "" | "ECU Information" | "1" | "ISO Code" |
| "Lancia" | "Phedra" | "Restraints" | "Temec Airbag" | "" | "ECU Information" | "2" | "Supplier" |
| "Lancia" | "Phedra" | "Restraints" | "Temec Airbag" | "" | "ECU Information" | "3" | "Software version" |
| "Lancia" | "Phedra" | "Restraints" | "Temec Airbag" | "" | "ECU Information" | "4" | "Calibration version" |
| "Lancia" | "Phedra" | "Restraints" | "Temec Airbag" | "" | "ECU Information" | "5" | "Error delete counter" |
| "Lancia" | "Phedra" | "Restraints" | "Temec Airbag" | "" | "ECU Information" | "6" | "Crash sensor reference" |
| "Lancia" | "Phedra" | "Restraints" | "Temec Airbag" | "" | "ECU Information" | "7" | "Crash sensor, calibration version" |
| "Lancia" | "Phedra" | "Restraints" | "Temec Airbag" | "" | "ECU Information" | "8" | "Crash sensor, software version" |
| "Lancia" | "Phedra" | "Restraints" | "Temec Airbag" | "" | "ECU Information" | "9" | "Crash sensor, hardware version" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "ECU Information" | "2" | "Hardware version" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "ECU Information" | "3" | "Software version" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "ECU Information" | "4" | "ISO Code" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "1" | "Hazard warning flashers" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "2" | "Left indicator light" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "3" | "Right indicator light" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "4" | "Main beam" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "5" | "Rear fog lights" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "6" | "Brake fluid level" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "7" | "Brake light" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "8" | "Brake lining condition" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "9" | "Hand brake" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "10" | "Front fog lights" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "11" | "Headlight washer" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "12" | "Hood switch" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "13" | "Trunk" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "14" | "Driver's door" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "15" | "Passenger door" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "16" | "Left rear door" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "17" | "Right rear door" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "18" | "Stop fuse input" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "19" | "Ignition key position" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "20" | "Reversing light" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "21" | "Parking lights" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "22" | "Heated rear window" |

| | | | | | | | |
|----------|-------------|-----------------------|--------------------------------|----|-------------------|------|--|
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "23" | "Alternator" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "24" | "Alarm wiring" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "25" | "Electric steering input" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "26" | "Trunk opening switch" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "27" | "Remote control status" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "28" | "Programming" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "29" | "Engine Control unit" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "30" | "ECU code request" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "31" | "Transponder message line" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "32" | "Number of enabled keys" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "33" | "Number of disabled keys" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "34" | "Stored remote controls count" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "35" | "Door locking remote control button" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "36" | "Door unlocking remote control button" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer Finmek" | "" | "Live Parameters" | "37" | "Trunk remote control button" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "2" | "Hardware number" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "3" | "Hardware version" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "4" | "Software number" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "5" | "Software version" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "6" | "ISO Code" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "ECU Information" | "7" | "Country type" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "1" | "Driver's door" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "2" | "Passenger door" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "3" | "Hazard warning lights" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "4" | "Inertia switch" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "5" | "Boot lid" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "6" | "Key position" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "7" | "Engine start signal" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "8" | "Electrical steering (NGE)" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "9" | "Parking brake" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "10" | "Heated rear window control" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "11" | "Brake fluid level" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "12" | "Brake pads" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "13" | "Stop fuse input" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "14" | "Reversing light" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "15" | "Door locking" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "16" | "Door unlocking" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "17" | "Trunk lid exterior unlocking switch" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "18" | "Interior door locking button" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "19" | "Left indicator light" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "20" | "Right indicator light" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "21" | "Main beam" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "22" | "High beam flash switch" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "23" | "Lights control" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "24" | "Front fog lights" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "25" | "Rear fog lights" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "26" | "Interior lighting" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "27" | "Generator" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "28" | "Battery voltage" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "29" | "Fuel level" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "30" | "Ambient air temperature" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "31" | "Programming" |

| | | | | | | | |
|----------|-------------|-----------------------|-------------------------|----|-------------------|------|--|
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "32" | "Engine Control unit" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "33" | "Last key used" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "34" | "Dialogue with ECE" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "35" | "Key transponder" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "36" | "Number of enabled keys" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "37" | "Number of disabled keys" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "38" | "Transponder message line" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "39" | "ID of last key used" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "40" | "Electronic key" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "41" | "Minicrypt" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "42" | "Stored remote controls count" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "43" | "ID of last remote control used" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "44" | "Door locking remote control button" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "45" | "Door unlocking remote control button" |
| "Lancia" | "Ypsilon I" | "Body Control Module" | "Marelli Body Computer" | "" | "Live Parameters" | "46" | "Trunk remote control button" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Diagnose Lucas TRW" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Diagnose Lucas TRW" | "" | "ECU Information" | "2" | "Hardware number" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Diagnose Lucas TRW" | "" | "ECU Information" | "3" | "Software version number" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Diagnose Lucas TRW" | "" | "ECU Information" | "4" | "ISO Code" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Diagnose Lucas TRW" | "" | "Live Parameters" | "1" | "Battery voltage" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Diagnose Lucas TRW" | "" | "Live Parameters" | "2" | "Front left wheel speed sensor" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Diagnose Lucas TRW" | "" | "Live Parameters" | "3" | "Front right wheel speed sensor" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Diagnose Lucas TRW" | "" | "Live Parameters" | "4" | "Rear left wheel speed sensor" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Diagnose Lucas TRW" | "" | "Live Parameters" | "5" | "Rear right wheel speed sensor" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Diagnose Lucas TRW" | "" | "Live Parameters" | "6" | "EBD check" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Diagnose Lucas TRW" | "" | "Live Parameters" | "7" | "ABS control" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Diagnose Lucas TRW" | "" | "Live Parameters" | "8" | "Brake pedal switch" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "ECU Information" | "2" | "Hardware number" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "ECU Information" | "3" | "Software version number" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "ECU Information" | "4" | "ISO Code" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "1" | "Battery voltage" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "2" | "Front left wheel speed sensor" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "3" | "Front right wheel speed sensor" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "4" | "Rear left wheel speed sensor" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "5" | "Rear right wheel speed sensor" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "6" | "Brake pedal switch" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "7" | "Anti-skid (ASR)" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "8" | "ASR/TC disable switch" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "9" | "EBD check" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "10" | "ABS control" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "11" | "ASR status" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "12" | "VDC control" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "13" | "VDC/ASR/TC warning lamp" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "14" | "VDC" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "15" | "Reverse" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "16" | "Clutch pedal switch" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "17" | "Brake assist: Hill hold" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "18" | "Steering angle" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "19" | "Yaw sensor" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "20" | "Lateral acceleration" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "21" | "Brake pedal pressure" |
| "Lancia" | "Ypsilon I" | "Brake System" | "Lucas TRW ESP" | "" | "Live Parameters" | "22" | "Longitudinal acceleration sensor" |

| | | | | | | | |
|----------|-------------|-------------------|------------------|----|-------------------|------|--------------------------------------|
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "ECU Information" | "2" | "Hardware version" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "ECU Information" | "3" | "Software version" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "ECU Information" | "4" | "ISO Code" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "ECU Information" | "5" | "Driving version" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "ECU Information" | "6" | "Sensor, evaporator" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "ECU Information" | "7" | "Additional heater" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "1" | "Battery voltage" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "2" | "Cooling fan" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "3" | "Defrost sensor" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "4" | "Outside temperature" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "5" | "Compartment temperature" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "6" | "LH requested temperature" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "7" | "RH requested temperature" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "8" | "LH vent air temperature sensor" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "9" | "RH vent air temperature sensor" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "10" | "LH footwell air temperature sensor" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "11" | "RH footwell air temperature sensor" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "12" | "Sun sensor, left side" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "13" | "Sun sensor, right side" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "14" | "Left Mixture flap position" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "15" | "Right Mixture flap position" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "16" | "Distribution position left" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "17" | "Distribution position right" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "18" | "Left Mixture motor feedback" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "19" | "Right Mixture motor feedback" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "20" | "LH distributor actuator feedback" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "21" | "RH distributor actuator feedback" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "22" | "AC button" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "23" | "Recirculation button" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "24" | "Fan +" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "25" | "Fan -" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "26" | "Max defroster button" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "27" | "Off button" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "28" | "Mono button" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "29" | "Left side auto button" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "30" | "LH defroster button" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "31" | "LH feet button" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "32" | "LH vent button" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "33" | "Right side auto button" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "34" | "RH defroster button" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "35" | "RH feet button" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "36" | "RH vent button" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "37" | "Mono button led" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "38" | "LH defroster led" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "39" | "LH feet led" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "40" | "LH vent led" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "41" | "RH defroster led" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "42" | "RH feet led" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "43" | "RH vent led" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "44" | "Off button led" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "45" | "Compressor LED (A/C)" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "46" | "Recirculation LED" |

| | | | | | | | |
|----------|-------------|-------------------|----------------------------------|----|-------------------|------|--------------------------------|
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "47" | "Defroster max button led" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "48" | "Recirculation status" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "49" | "Left Mixture flap position" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "50" | "Right Mixture flap position" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "51" | "Distribution position left" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "52" | "Distribution position right" |
| "Lancia" | "Ypsilon I" | "Climate Control" | "Denso Two Zone" | "" | "Live Parameters" | "53" | "A/C compressor status" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "ECU Information" | "2" | "Hardware number" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "ECU Information" | "3" | "Software number" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "ECU Information" | "4" | "ISO Code" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "1" | "Engine start up" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "2" | "Injection controller" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "3" | "Universal code" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "4" | "Numbers of overrevs" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "5" | "Max engine speed counter" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "6" | "Max engine speed" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "7" | "Number of rewrites" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "8" | "Odometer at last rewrite" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "9" | "Engine speed" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "10" | "Battery voltage" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "11" | "Power supply sensor 1" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "12" | "Power supply sensor 2" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "13" | "Power supply sensor 3" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "14" | "Fuel pressure measured" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "15" | "Fuel pressure AD/C" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "16" | "Air mass measured" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "17" | "Air temperature (Turbo)" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "18" | "Vehicle speed" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "19" | "Accelerator pedal" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "20" | "AD/C accelerator position 1" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "21" | "AD/C accelerator position 2" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "22" | "Clutch pedal" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "23" | "Brake pedal" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "24" | "Brake light switch 2" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "25" | "Fuel temperature" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "26" | "Fuel temperature AD/C" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "27" | "Atmospheric pressure" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "28" | "Overboost pressure measured" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "29" | "Boost pressure, AD/C" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "30" | "Inlet air temperature" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "31" | "AD/C air temperature (Turbo)" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "32" | "Cruise control switch" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "33" | "Cruise control switch" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "34" | "Injection amount" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "35" | "Gear engaged" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "36" | "Gearbox type" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "37" | "Water temperature" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "38" | "Water temperature AD/C" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "39" | "Pressure switch (quadrinary)" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "40" | "Pressure switch (trinary)" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "41" | "A/C requested" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "42" | "Preheating diagnos" |

| | | | | | | | |
|----------|-------------|-----------------|----------------------------------|----|-------------------|------|---|
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "43" | "Pressure regulation valve (DRV)" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "44" | "Low speeds control valve" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "45" | "Pressure regulation valve (MPROP)" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "46" | "High speeds control valve" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "47" | "EGR valve opening" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "48" | "Fuel pump relay" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "49" | "AC-relay" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "50" | "Boost pressure valve, closing" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "51" | "Cooling fan mode" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "52" | "Target fuel pressure" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "53" | "Target air mass" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "54" | "Target overboost pressure" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "55" | "Lambda sensor, voltage" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "56" | "Lambda sensor oxygen part" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "57" | "Injector identification cylinder 1" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "58" | "Injector identification cylinder 2" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "59" | "Injector identification cylinder 3" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "60" | "Injector identification cylinder 4" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "61" | "Fuel quantity correction cylinder 1" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "62" | "Fuel quantity correction cylinder 2" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "63" | "Fuel quantity correction cylinder 3" |
| "Lancia" | "Ypsilon I" | "Engine Diesel" | "199A3.000 1,3 Marelli 6F3 EOBD" | "" | "Live Parameters" | "64" | "Fuel quantity correction cylinder 4" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "ECU Information" | "2" | "Hardware number" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "ECU Information" | "3" | "Software number" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "ECU Information" | "4" | "ECU number of type approval" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "ECU Information" | "5" | "ISO Code" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "1" | "Engine speed" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "2" | "Inlet manifold pressure" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "3" | "IAT - Intake air temperature" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "4" | "Coolant temperature" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "5" | "Throttle angle" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "6" | "Ignition timing" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "7" | "Engine load" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "8" | "Injection time" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "9" | "Target idle speed" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "10" | "Position sensor step motor" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "11" | "Battery voltage" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "12" | "Ignition angle cylinder 1" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "13" | "Ignition angle cylinder 2" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "14" | "Ignition angle cylinder 3" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "15" | "Ignition angle cylinder 4" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "16" | "Lambda probe before catalytic converter" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "17" | "Lambda probe after catalytic converter" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "18" | "Lambda probe before catalytic converter" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "19" | "Lambda probe after catalytic converter" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "20" | "Front lambda sensor" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "21" | "Rear lambda sensor" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "22" | "Catalysator monitoring" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "23" | "Upstream lambda control" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "24" | "Misfire causing catalyst damage" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "25" | "Fuel system check" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "26" | "EVAP system, open" |

| | | | | | | | |
|----------|-------------|-----------------|---|----|-------------------|------|--|
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "27" | "Vehicle speed" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "28" | "Power-latch time" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "29" | "Engine status" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "30" | "Data recording" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "31" | "Operating state" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "32" | "Accelerator pedal position sensor" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "33" | "Idle adaption" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "34" | "Idle speed increase due to AC compensation" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "35" | "Atmospheric pressure" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "36" | "Calculated air pressure" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "37" | "Stepper motor" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "38" | "Number of programmings" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "39" | "Injection controller" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "40" | "Engine start up" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "41" | "Immobiliser signal" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A4.000 1,2 IAW 5AF/H EOBD" | "" | "Live Parameters" | "42" | "Misfire emission damage" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "ECU Information" | "2" | "Hardware number" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "ECU Information" | "3" | "Software number" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "ECU Information" | "4" | "ISO Code" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "1" | "Injection controller" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "2" | "Engine start up" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "3" | "Universal code" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "4" | "Dedicated line" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "5" | "Odometer" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "6" | "Numbers of overrevs" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "7" | "Max engine speed counter" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "8" | "Max engine speed" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "9" | "Number of rewrites" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "10" | "Odometer at last rewrite" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "11" | "Engine speed" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "12" | "Coolant temperature" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "13" | "Inlet air temperature" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "14" | "Spark advance" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "15" | "Injection time" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "16" | "Engine load" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "17" | "Throttle angle" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "18" | "Intake pressure" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "19" | "Air flow rate" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "20" | "Cruise control switch" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "21" | "Set cruise deceleration (-)" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "22" | "Set cruise acceleration (+)" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "23" | "Cruise control switch, set/resume" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "24" | "Battery voltage" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "25" | "Vehicle speed (from CAN)" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "26" | "Lambda 1 voltage above catalyst" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "27" | "Lambda 1 voltage below catalyst" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "28" | "Target idle speed" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "29" | "EVAP system, open" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "30" | "Injection timing deviation" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "31" | "Throttle potentiometer, track 1" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "32" | "Throttle potentiometer, track 2" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "33" | "Accelerator pedal position sensor" |

| | | | | | | | |
|----------|-------------|--------------------------|---|----|-------------------|------|--|
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "34" | "FRA 1 Factor" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "35" | "DTV 1 Factor" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "36" | "Throttle learn storage" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "37" | "Atmospheric pressure" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "38" | "Air flow - throttle closed" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "39" | "Cooling fan 1" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "40" | "Cooling fan 2" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "41" | "Detonation check" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "42" | "Ignition key position" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "43" | "Clutch pedal" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "44" | "Brake pedal" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "45" | "A/C requested" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "46" | "A/C compressor" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "47" | "Engine status" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "48" | "Engine warm up signal" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "49" | "Cut-off status" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "50" | "Lambda 1 status above catalyst" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "51" | "Lambda 1 status below catalyst" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "52" | "Evap-valve" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "53" | "Self-adaptive parameters" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "54" | "Anti-skid (ASR)" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "55" | "Driving cycle" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "56" | "Catalysator 1 heating" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "57" | "Catalyst 1" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "58" | "Accelerator pedal movement" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "59" | "Throttle learn results" |
| "Lancia" | "Ypsilon I" | "Engine Petrol" | "188A5.000 1,4 Motronic ME 7.3H4M EOBD" | "" | "Live Parameters" | "60" | "Malfunction indicator lamp (MIL)" |
| "Lancia" | "Ypsilon I" | "Instrument / Dashboard" | "Siemens Instrument Panel" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Ypsilon I" | "Instrument / Dashboard" | "Siemens Instrument Panel" | "" | "ECU Information" | "2" | "Hardware version" |
| "Lancia" | "Ypsilon I" | "Instrument / Dashboard" | "Siemens Instrument Panel" | "" | "ECU Information" | "3" | "Software version number" |
| "Lancia" | "Ypsilon I" | "Instrument / Dashboard" | "Siemens Instrument Panel" | "" | "ECU Information" | "4" | "ISO Code" |
| "Lancia" | "Ypsilon I" | "Instrument / Dashboard" | "Siemens Instrument Panel" | "" | "Live Parameters" | "1" | "Odometer" |
| "Lancia" | "Ypsilon I" | "Instrument / Dashboard" | "Siemens Instrument Panel" | "" | "Live Parameters" | "2" | "Distance indicator at last service reset" |
| "Lancia" | "Ypsilon I" | "Instrument / Dashboard" | "Siemens Instrument Panel" | "" | "Live Parameters" | "3" | "Date of last service operation" |
| "Lancia" | "Ypsilon I" | "Instrument / Dashboard" | "Siemens Instrument Panel" | "" | "Live Parameters" | "4" | "Maintenance counter" |
| "Lancia" | "Ypsilon I" | "Instrument / Dashboard" | "Siemens Instrument Panel" | "" | "Live Parameters" | "5" | "Service interval" |
| "Lancia" | "Ypsilon I" | "Instrument / Dashboard" | "Siemens Instrument Panel" | "" | "Live Parameters" | "6" | "Water temperature" |
| "Lancia" | "Ypsilon I" | "Instrument / Dashboard" | "Siemens Instrument Panel" | "" | "Live Parameters" | "7" | "Vehicle speed" |
| "Lancia" | "Ypsilon I" | "Instrument / Dashboard" | "Siemens Instrument Panel" | "" | "Live Parameters" | "8" | "Fuel gauge" |
| "Lancia" | "Ypsilon I" | "Instrument / Dashboard" | "Siemens Instrument Panel" | "" | "Live Parameters" | "9" | "Engine speed" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "ECU Information" | "1" | "ISO Code" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "1" | "Number of rewrites" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "2" | "Battery voltage" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "3" | "1 st level, driver's airbag resistance" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "4" | "2nd level, driver's airbag resistance" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "5" | "1 st level, passenger airbag resistance" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "6" | "2nd level, passenger airbag resistance" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "7" | "Driver's pretensioner resistance" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "8" | "Central pretensioner resistance" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "9" | "Passenger pretensioner resistance" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "10" | "Left side side-airbag resistance" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "11" | "Right side side- airbag resistance" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "12" | "Driver-side airbag safety curtain" |

| | | | | | | | |
|----------|-------------|-----------------|--------------------------|----|-------------------|------|--|
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "13" | "Passenger-side airbag safety curtain" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "14" | "Instrument cluster" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "15" | "Trip computer" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "16" | "Body computer" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "17" | "Failure warning lamp status (from can)" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "18" | "Passenger airbag exclusion warning lamp (from can)" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "19" | "Seat belt warning lamp (from can)" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "20" | "SRS warning lamp" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "21" | "Passenger airbag exclusion switch" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "22" | "Passenger airbag exclusion warning lamp" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "23" | "Passenger airbag" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "24" | "Pretensioner cut-in" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "25" | "Passenger present sensor" |
| "Lancia" | "Ypsilon I" | "Restraints" | "Autoliv airbag (Proxi)" | "" | "Live Parameters" | "26" | "Side airbag trigger" |
| "Lancia" | "Ypsilon I" | "Steering" | "Delphi" | "" | "ECU Information" | "1" | "Number of ECU Fiat drawing" |
| "Lancia" | "Ypsilon I" | "Steering" | "Delphi" | "" | "ECU Information" | "2" | "ISO Code" |
| "Lancia" | "Ypsilon I" | "Steering" | "Delphi" | "" | "Live Parameters" | "1" | "Battery voltage" |
| "Lancia" | "Ypsilon I" | "Steering" | "Delphi" | "" | "Live Parameters" | "2" | "Steering angle" |
| "Lancia" | "Ypsilon I" | "Steering" | "Delphi" | "" | "Live Parameters" | "3" | "Alternator" |
| "Lancia" | "Ypsilon I" | "Steering" | "Delphi" | "" | "Live Parameters" | "4" | "Ignition key position" |
| "Lancia" | "Ypsilon I" | "Steering" | "Delphi" | "" | "Live Parameters" | "5" | "Driving mode" |
| "Lancia" | "Ypsilon I" | "Steering" | "Delphi" | "" | "Live Parameters" | "6" | "Warning lamp, power steering" |
| "Lancia" | "Ypsilon I" | "Steering" | "Delphi" | "" | "Live Parameters" | "7" | "Steering angle sensor" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "1" | "Key" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "2" | "Revolution signal" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "3" | "Accelerator pedal position sensor" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "4" | "Injection timing adjustment" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "5" | "Injection timing adjustment" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "6" | "Injection time" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "7" | "Injection time" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "8" | "Injection amount" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "9" | "Fuel pressure" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "10" | "Fuel pressure" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "11" | "Pressure regulator" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "12" | "Air inlet sensor" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "13" | "Air inlet sensor" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "14" | "EGR valve" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "15" | "Overboost" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "16" | "Overboost" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "17" | "Turbo regulating valve" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "18" | "Air pressure sensor" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "19" | "Air inlet temperature sensor" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "20" | "Coolant temperature sensor" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "21" | "Battery voltage" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "22" | "Road speed signal" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "23" | "Clutch pedal switch" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "24" | "Self test" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "25" | "AC order signal" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "26" | "AC order signal" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "27" | "Brake pedal switch" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "28" | "Pressure switch climate control system" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "29" | "Key" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "30" | "Engine start up" |

| | | | | | | | |
|----------|--------|-----------------|------------------|----|-------------------|------|-------------------------------------|
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "31" | "Cruise control" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "32" | "EGR" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "33" | "AD/C" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "34" | "AD/C" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "35" | "Accelerator pedal position sensor" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "36" | "Accelerator pedal position sensor" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "37" | "AD/C" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "38" | "AD/C" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "39" | "Air inlet temperature sensor" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "40" | "Air inlet sensor" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "41" | "Control power injector capacitor" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "42" | "Control power injector capacitor" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "43" | "Status" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "44" | "Glow time lamp" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "45" | "Check engine lamp" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "46" | "Temperature warning" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "47" | "Fuel pump" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "48" | "Cooling fan" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "49" | "Cooling fan" |
| "Lancia" | "Zeta" | "Engine Diesel" | "RHZ 2,0 EDC 15" | "" | "Live Parameters" | "50" | "AC compressor" |